

Receipt No. 32604 Amount 100 License No. \_\_\_\_\_

Fee: \$100.00 Account No. 101.030.649

### Application for Motor Vehicle Towing License – City of Racine, WI

Date 6-16-10

Expires June 30, 2011

I hereby certify that I am owner, partner, or corporate officer of business applying for motor vehicle towing license, and further certify that I have met all licensing requirements as outlined in Sec. 22-831 through 22-840 of the Racine Municipal Code, and that inspection certificates of motor vehicles being used are attached.

Name of Towing Company Don's Towing and Truck Service LLC

Business Address 1524 Layard Ave Zip Code 53402

Individual (Name of Applicant) Sandy Nelson

Home Address 16122 50<sup>th</sup> RD Phone No. 262 770 6599

Partnership (Name, addresses, and phone numbers of partners:

Name	Address	Phone No.
Sandy Nelson	16122 50 <sup>th</sup> RD <sup>Franksville</sup> 53126	770-6599
Don Durham	SAME	206-4570

Corporation Name \_\_\_\_\_

Names, addresses, and phone numbers of officers:

Title	Name and Address	Phone No.
President		
Vice-President		
Secretary		
Treasurer		

Name, address, and phone number of person in charge:

Sandy Nelson 16122 50<sup>th</sup> RD <sup>Franksville</sup> 53126 Phone No. 770-6599

\* Insurance Underwriter: Employers Mutual Co.

Sandy Nelson  
Signature of Applicant

\* Attach insurance certificate

## Hold Harmless Agreement

**Whereas**, the undersigned towing company has applied to the City of Racine for a Motor Vehicle Towing License; and


**Whereas**, as a condition of issuance of said license, the company must comply with Section 22-835(3) of the Municipal Code of the City of Racine to hold the City harmless from certain liability.


**Now, therefore**, in consideration of the issuance of said license, the undersigned towing company hereby agrees to indemnify and hold harmless the City of Racine, its departments, officers, agents, and employees for any losses, claims, or damages to vehicles and contents of vehicles resulting from the negligence of the towing company, its officers, agents or employees, in its operation under Sec. 22-831 through 22-840 of the Municipal Code, including but not limited to its towing and storage of vehicles.

It is the express intention of the undersigned that this Agreement be liberally construed in favor of the City of Racine. This Agreement shall remain in effect for the term during which the company holds said license and shall continue in force thereafter relative to any incident for which liability is claimed to be accrued during such period.

Dated this 16 day of June, 2010.

Towing company name Don's Towing & Truck Service LLC

By: 

By: 

# ANNUAL VEHICLE INSPECTION REPORT

VEHICLE HISTORY RECORD	
REPORT NUMBER	FLEET UNIT NUMBER
8045080	62
DATE 6-15-10	

MOTOR CARRIER OPERATOR <b>Donis Towning</b>	INSPECTOR'S NAME (PRINT OR TYPE) <b>Don Durham</b>
ADDRESS <b>14100 Leebor RD</b>	THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19. <input checked="" type="checkbox"/> YES
CITY, STATE, ZIP CODE <b>Sumner WI 53177</b>	VEHICLE IDENTIFICATION (✓) AND COMPLETE <input type="checkbox"/> LIC. PLATE NO. <input checked="" type="checkbox"/> VIN <input type="checkbox"/> OTHER <b>1HTMMAA92H547501</b>
VEHICLE TYPE <input type="checkbox"/> TRACTOR <input type="checkbox"/> TRAILER <input checked="" type="checkbox"/> TRUCK <input type="checkbox"/> (OTHER)	INSPECTION AGENCY/LOCATION (OPTIONAL)

## VEHICLE COMPONENTS INSPECTED

OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	
X			<b>1. BRAKE SYSTEM</b> a. Service Brakes b. Parking Brake System c. Brake Drums or Rotors d. Brake Hose e. Brake Tubing f. Low Pressure Warning Device g. Tractor Protection Valve h. Air Compressor i. Electric Brakes j. Hydraulic Brakes k. Vacuum Systems	X			<b>4. FUEL SYSTEM</b> a. Visible leak b. Fuel tank filler cap missing c. Fuel tank securely attached	X			<b>9. FRAME</b> a. Frame Members b. Tire and Wheel Clearance c. Adjustable Axle Assemblies (Sliding Subframes)	
X				X				X				
X				X				NA				
X				X			<b>5. LIGHTING DEVICES</b> All lighting devices and reflectors required by Section 393 shall be operable.	X			<b>10. TIRES</b> a. Tires on any steering axle of a power unit. b. All other tires.	
X				X				X				
X				<b>2. COUPLING DEVICES</b> a. Fifth Wheels b. Pintle Hooks c. Drawbar/Towbar Eye d. Drawbar/Towbar Tongue e. Safety Devices f. Saddle-Mounts	X			<b>6. SAFE LOADING</b> a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway. b. Protection against shifting cargo	X			<b>11. WHEELS AND RIMS</b> a. Lock or Side Ring b. Wheels and Rims c. Fasteners d. Welds
X					X				X			
X					X			<b>7. STEERING MECHANISM</b> a. Steering Wheel Free Play b. Steering Column c. Front Axle Beam and All Steering Components Other Than Steering Column d. Steering Gear Box e. Pitman Arm f. Power Steering g. Ball and Socket Joints h. Tie Rods and Drag Links i. Nuts j. Steering System	X			<b>12. WINDSHIELD GLAZING</b> Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions)
X					X				X			
X					X				X			
X				<b>3. EXHAUST SYSTEM</b> a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment. b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combustible part of the motor vehicle.	X			<b>8. SUSPENSION</b> a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position. b. Spring Assembly c. Torque, Radius or Tracking Components.	X			<b>13. WINDSHIELD WIPERS</b> Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.  List any other condition which may prevent safe operation of this vehicle.
X			X				X					
X			X				X					
X			X				X					

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: **X** OK, **X** NEEDS REPAIR, **NA** IF ITEMS DO NOT APPLY, \_\_\_\_\_ REPAIRED DATE

CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION REPORT IN ACCORDANCE WITH 49 CFR 396.

# ANNUAL VEHICLE INSPECTION REPORT

VEHICLE HISTORY RECORD	
REPORT NUMBER	FLEET UNIT NUMBER
5947957	67
DATE 6-10-10	

MOTOR CARRIER OPERATOR Dons Towers	INSPECTOR'S NAME (PRINT OR TYPE) Don Dorhan
ADDRESS 14100 Leetsbar RD	THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19. <input checked="" type="checkbox"/> YES
CITY, STATE, ZIP CODE Storkeumt WA 98177	VEHICLE IDENTIFICATION (VIN) AND COMPLETE LIC. PLATE NO. <input type="checkbox"/> VIN <input type="checkbox"/> OTHER 8 734110
VEHICLE TYPE <input type="checkbox"/> TRACTOR <input type="checkbox"/> TRAILER <input checked="" type="checkbox"/> TRUCK <input type="checkbox"/> (OTHER)	INSPECTION AGENCY/LOCATION (OPTIONAL)

VEHICLE COMPONENTS INSPECTED											
OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM
X			1. BRAKE SYSTEM	X			4. FUEL SYSTEM	X			9. FRAME
X			a. Service Brakes	X			a. Visible leak	X			a. Frame Members
X			b. Parking Brake System	X			b. Fuel tank filler cap missing	X			b. Tire and Wheel Clearance
X			c. Brake Drums or Rotors	X			c. Fuel tank securely attached	X			c. Adjustable Axle Assemblies (Sliding Subframes)
X			d. Brake Hose	X			5. LIGHTING DEVICES	X			10. TIRES
X			e. Brake Tubing	X			All lighting devices and reflectors required by Section 393 shall be operable.	X			a. Tires on any steering axle of a power unit.
X			f. Low Pressure Warning Device	X			6. SAFE LOADING	X			b. All other tires.
X			g. Tractor Protection Valve	X			a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway.	X			11. WHEELS AND RIMS
X			h. Air Compressor	X			b. Protection against shifting cargo	X			a. Lock or Side Ring
X			i. Electric Brakes	X			7. STEERING MECHANISM	X			b. Wheels and Rims
X			j. Hydraulic Brakes	X			a. Steering Wheel Free Play	X			c. Fasteners
X			k. Vacuum Systems	X			b. Steering Column	X			d. Welds
X			2. COUPLING DEVICES	X			c. Front Axle Beam and All Steering Components Other Than Steering Column	X			12. WINDSHIELD GLAZING
X			a. Fifth Wheels	X			d. Steering Gear Box	X			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions)
X			b. Pintle Hooks	X			e. Pitman Arm	X			13. WINDSHIELD WIPERS
X			c. Drawbar/Towbar Eye	X			f. Power Steering	X			Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.
X			d. Drawbar/Towbar Tongue	X			g. Ball and Socket Joints	X			List any other condition which may prevent safe operation of this vehicle.
X			e. Safety Devices	X			h. Tie Rods and Drag Links	X			
X			f. Saddle-Mounts	X			i. Nuts	X			
X			3. EXHAUST SYSTEM	X			j. Steering System	X			
X			a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment.	X			8. SUSPENSION	X			
X			b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3).	X			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.	X			
X			c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combustible part of the motor vehicle.	X			b. Spring Assembly	X			
X				X			c. Torque, Radius or Tracking Components.	X			

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: **X** OK, **X** NEEDS REPAIR, **NA** IF ITEMS DO NOT APPLY, \_\_\_\_\_ REPAIRED DATE

CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION REPORT IN ACCORDANCE WITH 49 CFR 396.

# ANNUAL VEHICLE INSPECTION REPORT

VEHICLE HISTORY RECORD	
REPORT NUMBER	FLEET UNIT NUMBER
547754	64
DATE	6-10-10

MOTOR CARRIER OPERATOR <b>Dons Touzig</b>	INSPECTOR'S NAME (PRINT OR TYPE) <b>Don Durhan</b>
ADDRESS <b>14100 Leeksbir RD</b>	THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19. <input checked="" type="checkbox"/> YES
CITY, STATE, ZIP CODE <b>Stoughton WI 53177</b>	VEHICLE IDENTIFICATION (✓) AND COMPLETE <input type="checkbox"/> LIC. PLATE NO. <input checked="" type="checkbox"/> VIN <input type="checkbox"/> OTHER <b>1FUY2DYB2JH337159</b>
VEHICLE TYPE <input type="checkbox"/> TRACTOR <input type="checkbox"/> TRAILER <input checked="" type="checkbox"/> TRUCK <input type="checkbox"/> (OTHER)	INSPECTION AGENCY/LOCATION (OPTIONAL)

## VEHICLE COMPONENTS INSPECTED

OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM
X			1. BRAKE SYSTEM	X			4. FUEL SYSTEM	X			9. FRAME
X			a. Service Brakes	X			a. Visible leak	X			a. Frame Members
X			b. Parking Brake System	X			b. Fuel tank filler cap missing	X			b. Tire and Wheel Clearance
X			c. Brake Drums or Rotors	X			c. Fuel tank securely attached	X			c. Adjustable Axle Assemblies (Sliding Subframes)
X			d. Brake Hose	X			5. LIGHTING DEVICES	X			10. TIRES
X			e. Brake Tubing	X			All lighting devices and reflectors required by Section 393 shall be operable.	X			a. Tires on any steering axle of a power unit.
X			f. Low Pressure Warning Device	X			6. SAFE LOADING	X			b. All other tires.
X			g. Tractor Protection Valve	X			a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway.	X			11. WHEELS AND RIMS
X			h. Air Compressor	X			b. Protection against shifting cargo	X			a. Lock or Side Ring
X			i. Electric Brakes	X			7. STEERING MECHANISM	X			b. Wheels and Rims
X			j. Hydraulic Brakes	X			a. Steering Wheel Free Play	X			c. Fasteners
X			k. Vacuum Systems	X			b. Steering Column	X			d. Welds
X			2. COUPLING DEVICES	X			c. Front Axle Beam and All Steering Components Other Than Steering Column	X			12. WINDSHIELD GLAZING
X			a. Fifth Wheels	X			d. Steering Gear Box	X			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions)
X			b. Pintle Hooks	X			e. Pitman Arm	X			13. WINDSHIELD WIPERS
X			c. Drawbar/Towbar Eye	X			f. Power Steering	X			Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.
X			d. Drawbar/Towbar Tongue	X			g. Ball and Socket Joints	X			List any other condition which may prevent safe operation of this vehicle.
X			e. Safety Devices	X			h. Tie Rods and Drag Links	X			
X			f. Saddle-Mounts	X			i. Nuts	X			
X			3. EXHAUST SYSTEM	X			j. Steering System	X			
X			a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment.	X			8. SUSPENSION	X			
X			b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3).	X			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.	X			
X			c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combustible part of the motor vehicle.	X			b. Spring Assembly	X			
X				X			c. Torque, Radius or Tracking Components.	X			

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: **X** OK, **X** NEEDS REPAIR, **NA** IF ITEMS DO NOT APPLY, \_\_\_\_\_ REPAIRED DATE

CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION REPORT IN ACCORDANCE WITH 49 CFR 396.

# ANNUAL VEHICLE INSPECTION REPORT

VEHICLE HISTORY RECORD	
REPORT NUMBER	FLEET UNIT NUMBER
5947930	59
DATE <span style="margin-left: 100px;">5-2-16</span>	

MOTOR CARRIER OPERATOR <span style="font-size: 1.2em;">Dons Toung</span>	INSPECTOR'S NAME (PRINT OR TYPE) <span style="font-size: 1.2em;">Don Durham</span>
ADDRESS <span style="font-size: 1.2em;">14100 Leetsbir Rd</span>	THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19. <input checked="" type="checkbox"/> YES
CITY, STATE, ZIP CODE <span style="font-size: 1.2em;">STURTEVANT OR 53177</span>	VEHICLE IDENTIFICATION (✓) AND COMPLETE <input type="checkbox"/> LIC. PLATE NO. <input checked="" type="checkbox"/> VIN <input type="checkbox"/> OTHER <span style="font-size: 1.2em;">3FRWx6E87U475966</span>
VEHICLE TYPE <input type="checkbox"/> TRACTOR <input type="checkbox"/> TRAILER <input checked="" type="checkbox"/> TRUCK <input type="checkbox"/> (OTHER)	INSPECTION AGENCY/LOCATION (OPTIONAL)

## VEHICLE COMPONENTS INSPECTED

OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM
X			<b>1. BRAKE SYSTEM</b>	X			<b>4. FUEL SYSTEM</b>	X			<b>9. FRAME</b>
X			a. Service Brakes	X			a. Visible leak	X			a. Frame Members
X			b. Parking Brake System	X			b. Fuel tank filler cap missing	X			b. Tire and Wheel Clearance
X			c. Brake Drums or Rotors	X			c. Fuel tank securely attached	NA			c. Adjustable Axle Assemblies (Sliding Subframes)
X			d. Brake Hose	X			<b>5. LIGHTING DEVICES</b>	X			<b>10. TIRES</b>
X			e. Brake Tubing	X			All lighting devices and reflectors required by Section 393 shall be operable.	X			a. Tires on any steering axle of a power unit.
X			f. Low Pressure Warning Device	X			<b>6. SAFE LOADING</b>	X			b. All other tires.
X			g. Tractor Protection Valve	X			a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway.	NA			<b>11. WHEELS AND RIMS</b>
X			h. Air Compressor	X			b. Protection against shifting cargo	X			a. Lock or Side Ring
X			i. Electric Brakes	X			<b>7. STEERING MECHANISM</b>	X			b. Wheels and Rims
X			j. Hydraulic Brakes	X			a. Steering Wheel Free Play	X			c. Fasteners
X			k. Vacuum Systems	X			b. Steering Column	X			d. Welds
X			<b>2. COUPLING DEVICES</b>	X			c. Front Axle Beam and All Steering Components Other Than Steering Column	X			<b>12. WINDSHIELD GLAZING</b>
X			a. Fifth Wheels	X			d. Steering Gear Box	X			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions)
X			b. Pintle Hooks	X			e. Pitman Arm	X			<b>13. WINDSHIELD WIPERS</b>
X			c. Drawbar/Towbar Eye	X			f. Power Steering	X			Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.
X			d. Drawbar/Towbar Tongue	X			g. Ball and Socket Joints				List any other condition which may prevent safe operation of this vehicle.
X			e. Safety Devices	X			h. Tie Rods and Drag Links				
X			f. Saddle-Mounts	X			i. Nuts				
X			<b>3. EXHAUST SYSTEM</b>	X			j. Steering System				
X			a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment.	X			<b>8. SUSPENSION</b>				
X			b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3).	X			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.				
X			c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combustible part of the motor vehicle.	X			b. Spring Assembly				
X				X			c. Torque, Radius or Tracking Components.				

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: **X** OK, **X** NEEDS REPAIR, **NA** IF ITEMS DO NOT APPLY, \_\_\_\_\_ REPAIRED DATE

**CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION REPORT IN ACCORDANCE WITH 49 CFR 396.**

# ANNUAL VEHICLE INSPECTION REPORT

VEHICLE HISTORY RECORD	
REPORT NUMBER	FLEET UNIT NUMBER
541-7856	65
DATE	
6-10-10	

MOTOR CARRIER OPERATOR <b>Don's Towing</b>	INSPECTOR'S NAME (PRINT OR TYPE) <b>Don Durham</b>
ADDRESS <b>14100 Leeksbir RD</b>	THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19. <input checked="" type="checkbox"/> YES
CITY, STATE, ZIP CODE <b>Sturtevant WI 53177</b>	VEHICLE IDENTIFICATION (VIN) AND COMPLETE <input type="checkbox"/> LIC. PLATE NO. <input checked="" type="checkbox"/> VIN <input type="checkbox"/> OTHER <b>1FU66FBC8UH816998</b>
VEHICLE TYPE <input type="checkbox"/> TRACTOR <input type="checkbox"/> TRAILER <input checked="" type="checkbox"/> TRUCK <input type="checkbox"/> (OTHER)	INSPECTION AGENCY/LOCATION (OPTIONAL)

## VEHICLE COMPONENTS INSPECTED

OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM
X			<b>1. BRAKE SYSTEM</b>	X			<b>4. FUEL SYSTEM</b>	X			<b>9. FRAME</b>
X			a. Service Brakes	X			a. Visible leak	X			a. Frame Members
X			b. Parking Brake System	X			b. Fuel tank filler cap missing	X			b. Tire and Wheel Clearance
X			c. Brake Drums or Rotors	X			c. Fuel tank securely attached	NA			c. Adjustable Axle Assemblies (Sliding Subframes)
X			d. Brake Hose				<b>5. LIGHTING DEVICES</b>				<b>10. TIRES</b>
X			e. Brake Tubing				All lighting devices and reflectors required by Section 393 shall be operable.	X			a. Tires on any steering axle of a power unit.
X			f. Low Pressure Warning Device	X			<b>6. SAFE LOADING</b>	X			b. All other tires.
X			g. Tractor Protection Valve	X			a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway.	X			<b>11. WHEELS AND RIMS</b>
X			h. Air Compressor	X			b. Protection against shifting cargo	X			a. Lock or Side Ring
X			i. Electric Brakes	X			<b>7. STEERING MECHANISM</b>	X			b. Wheels and Rims
X			j. Hydraulic Brakes	X			a. Steering Wheel Free Play	X			c. Fasteners
X			k. Vacuum Systems	X			b. Steering Column	X			d. Welds
NA			<b>2. COUPLING DEVICES</b>	X			c. Front Axle Beam and All Steering Components Other Than Steering Column	X			<b>12. WINDSHIELD GLAZING</b>
NA			a. Fifth Wheels	X			d. Steering Gear Box	X			Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions)
NA			b. Pintle Hooks	X			e. Pitman Arm	X			<b>13. WINDSHIELD WIPERS</b>
NA			c. Drawbar/Towbar Eye	X			f. Power Steering	X			Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.
NA			d. Drawbar/Towbar Tongue	X			g. Ball and Socket Joints	X			List any other condition which may prevent safe operation of this vehicle.
NA			e. Safety Devices	X			h. Tie Rods and Drag Links	X			
NA			f. Saddle-Mounts	X			i. Nuts	X			
X			<b>3. EXHAUST SYSTEM</b>	X			j. Steering System	X			
X			a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment.	X			<b>8. SUSPENSION</b>	X			
X			b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3).	X			a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.	X			
X			c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combustible part of the motor vehicle.	X			b. Spring Assembly	X			
X				X			c. Torque, Radius or Tracking Components.	X			

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: **X** OK, **X** NEEDS REPAIR, **NA** IF ITEMS DO NOT APPLY, \_\_\_\_\_ REPAIRED DATE

**CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION REPORT IN ACCORDANCE WITH 49 CFR 396.**

# ANNUAL VEHICLE INSPECTION REPORT

VEHICLE HISTORY RECORD	
REPORT NUMBER	FLEET UNIT NUMBER
5947941	55
DATE 5-1-10	

MOTOR CARRIER OPERATOR <b>Don's Towers</b>	INSPECTOR'S NAME (PRINT OR TYPE) <b>Don Durham</b>
ADDRESS <b>14100 Leebir RD</b>	THIS INSPECTOR MEETS THE QUALIFICATION REQUIREMENTS IN SECTION 396.19. <input checked="" type="checkbox"/> YES
CITY, STATE, ZIP CODE <b>STURGEON WC 53177</b>	VEHICLE IDENTIFICATION (✓) AND COMPLETE <input type="checkbox"/> LIC. PLATE NO. <input checked="" type="checkbox"/> VIN <input type="checkbox"/> OTHER <b>3FRNF65FX5U163566</b>
VEHICLE TYPE <input type="checkbox"/> TRACTOR <input type="checkbox"/> TRAILER <input checked="" type="checkbox"/> TRUCK <input type="checkbox"/> (OTHER)	INSPECTION AGENCY/LOCATION (OPTIONAL)

## VEHICLE COMPONENTS INSPECTED

OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM	OK	NEEDS REPAIR	REPAIRED DATE	ITEM
			<b>1. BRAKE SYSTEM</b>				<b>4. FUEL SYSTEM</b>				<b>9. FRAME</b>
			a. Service Brakes				a. Visible leak				a. Frame Members
			b. Parking Brake System				b. Fuel tank filler cap missing				b. Tire and Wheel Clearance
			c. Brake Drums or Rotors				c. Fuel tank securely attached				c. Adjustable Axle Assemblies (Sliding Subframes)
			d. Brake Hose								
			e. Brake Tubing				<b>5. LIGHTING DEVICES</b>				<b>10. TIRES</b>
			f. Low Pressure Warning Device				All lighting devices and reflectors required by Section 393 shall be operable.				a. Tires on any steering axle of a power unit.
			g. Tractor Protection Valve								b. All other tires.
			h. Air Compressor				<b>6. SAFE LOADING</b>				<b>11. WHEELS AND RIMS</b>
			i. Electric Brakes				a. Part(s) of vehicle or condition of loading such that the spare tire or any part of the load or dunnage can fall onto the roadway.				a. Lock or Side Ring
			j. Hydraulic Brakes				b. Protection against shifting cargo				b. Wheels and Rims
			k. Vacuum Systems								c. Fasteners
			<b>2. COUPLING DEVICES</b>				<b>7. STEERING MECHANISM</b>				<b>12. WINDSHIELD GLAZING</b>
			a. Fifth Wheels				a. Steering Wheel Free Play				Requirements and exceptions as stated pertaining to any crack, discoloration or vision reducing matter (reference 393.60 for exceptions)
			b. Pintle Hooks				b. Steering Column				<b>13. WINDSHIELD WIPERS</b>
			c. Drawbar/Towbar Eye				c. Front Axle Beam and All Steering Components Other Than Steering Column				Any power unit that has an inoperative wiper, or missing or damaged parts that render it ineffective.
			d. Drawbar/Towbar Tongue				d. Steering Gear Box				List any other condition which may prevent safe operation of this vehicle.
			e. Safety Devices				e. Pitman Arm				
			f. Saddle-Mounts				f. Power Steering				
			<b>3. EXHAUST SYSTEM</b>				g. Ball and Socket Joints				
			a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment.				h. Tie Rods and Drag Links				
			b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3).				i. Nuts				
			c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combustible part of the motor vehicle.				j. Steering System				
							<b>8. SUSPENSION</b>				
							a. Any U-bolt(s), spring hanger(s), or other axle positioning part(s) cracked, broken, loose or missing resulting in shifting of an axle from its normal position.				
							b. Spring Assembly				
							c. Torque, Radius or Tracking Components.				

INSTRUCTIONS: MARK COLUMN ENTRIES TO VERIFY INSPECTION: **X** OK, **X** NEEDS REPAIR, **NA** IF ITEMS DO NOT APPLY, \_\_\_\_\_ REPAIRED DATE

CERTIFICATION: THIS VEHICLE HAS PASSED ALL THE INSPECTION ITEMS FOR THE ANNUAL VEHICLE INSPECTION REPORT IN ACCORDANCE WITH 49 CFR 396.



# ACORD CERTIFICATE OF LIABILITY INSURANCE

OP ID CP  
DONST-1

DATE (MM/DD/YYYY)

11/09/09

**PRODUCER**  
Robertson Ryan & Assoc., Inc.  
Two Plaza East, Suite 650  
330 East Kilbourn Avenue  
Milwaukee WI 53202  
Phone: 414-271-3575 Fax: 414-271-0196

**THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.**

**INSURED**  
  
Dons Towing and Truck  
Service LLC  
2036 S. Sylvania  
Sturtevant WI 53177

INSURERS AFFORDING COVERAGE	NAIC #
INSURER A: <b>EMPLOYERS MUTUAL COMPANIES</b>	
INSURER B:	
INSURER C:	
INSURER D:	
INSURER E:	

**COVERAGES**

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR ADOT LTR INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A	GENERAL LIABILITY	4D21903	10/27/09	10/27/10	EACH OCCURRENCE	
	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 1000000
	<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED EXP (Any one person)	\$ 5000
	GEN'L AGGREGATE LIMIT APPLIES PER:				PERSONAL & ADV INJURY	\$ 1000000
	<input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC				GENERAL AGGREGATE	\$ 2000000
					PRODUCTS - COMP/OP AGG	\$ 2000000
A	AUTOMOBILE LIABILITY	4E21903	10/27/09	10/27/10	COMBINED SINGLE LIMIT (Ea accident)	
	<input type="checkbox"/> ANY AUTO				BODILY INJURY (Per person)	\$
	<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident)	\$
	<input checked="" type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident)	\$
<input checked="" type="checkbox"/> HIRED AUTOS						
<input checked="" type="checkbox"/> NON-OWNED AUTOS						
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	
	<input type="checkbox"/> ANY AUTO				OTHER THAN AUTO ONLY: EA ACC	
					AGG \$	
	EXCESS/UMBRELLA LIABILITY				EACH OCCURRENCE	
	<input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE	
	<input type="checkbox"/> DEDUCTIBLE				\$	
	<input type="checkbox"/> RETENTION \$				\$	
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATUTORY LIMITS	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?				OFF-ER	
	If yes, describe under SPECIAL PROVISIONS below				E.L. EACH ACCIDENT	
	OTHER				E.L. DISEASE - EA EMPLOYEE	
A	Garagekeepers \$150,000	4J21903	10/27/09	10/27/10	E.L. DISEASE - POLICY LIMIT	
					On Hook	
					Cargo	
					\$100,000	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES / EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS

**CERTIFICATE HOLDER**

**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE