

(NEW ENCLOSURE WALLS and DOOR)

WALL MOUNT EXHAUST FAN COORDINATE
EXACT LOCATION WITH HOOD DRAWINGS
BY OTHERS & MEET CODE WITH
REGARDS TO PLACEMENT NEAR INTAKE
LOUVERS, DOORS, WINDOWS, ETC.

NEW
MEN'S TR

NEW
WOMEN'S TR

BANQUET HALL

EXISTING STAIR

EXIT LIGHT 

UP TO EXIT AT WASHINGTON
(36' EXIT DOOR)

STAGE

BOOTH

BOOTH

BOOTH

BOOTH

BOOTH

BOOTH

OCCUPANCY GROUP:

ASSEMBLY (A-2) - BANQUET HALL

CONSTRUCTION TYPE:

IIIB - EXTERIOR MASONRY WALLS

PROJECT AREA:

98' X 63' (+/-) = 6,200 SF

OCCUPANT LOAD: (BASED ON TOILET FIXTURES)

1 WC REQ'D PER 75 OCCUPANTS PER IBC TABLE 2902.1
(URINALS ALLOWED TO BE SUBSTITUTED FOR UP TO 67% OF REQ'D WCs)

6 WC/UR PROVIDED, THEREFORE MAX OCCUPANT LOAD = 450

OCCUPANT LOAD: (BASED ON AREA)

ASSEMBLY AREA (TABLES & CHAIRS): 4,640sf + 15sf per PERSON NET = 309 OCCUPANTS

BUSINESS AREAS: 536sf + 100sf per PERSON = 5 OCCUPANTS

TOTAL OCCUPANTS = 314

MIN. EXIT WIDTH (WORST CASE)


450 OCCUPANTS X .20" = 90"

144" PROVIDED (4 EXIT DOORS AT 36")

FIRE PROTECTION:

NONE

SCALE : 1/4" = 1'-0"




920 GOOLD STREET
RACINE, WI 53402
262.634.5565

RUDIE | FRANK
ARCHITECTURE

THE 1518

THE 1518

1318 WASHINGTON AVENUE - RACINE, WI 53403



PROJECT NO.

33-20

JUNE 28, 2021

REVISIONS

1-12-23: ADDED BENCH
 ATLS, BOOTHS, DJ BOOTH,
 BAR, AND WATER HEATER
 ROOM

SHEET NO.

1 OF 1