RACINE WASTEWATER TREATMENT PLANT

	2018	%	2019	%	2020	2020	%	2021	%	2022
					1st 6 months	2nd 6 months		calculated w/UC		calculated w/UC
Parameter	calculated cost	Change	calculated cost	Change	calculated cost	calculated w/UC	Change	using CIP	Change	using CIP
Permit Fee/cost per IEU	\$665.00	9.02%	\$725.00	4.00%	\$754.00	\$754.00	1.00%	\$761.54	5.00%	\$799.62
Non Significant Categorical Industrial User	\$335.00	8.96%	\$365.00	4.00%	\$379.60	\$379.60	1.00%	\$383.40	5.00%	\$402.57
No/Minimal Discharge permit fee	\$165.00	9.09%	\$180.00	4.00%	\$187.20	\$187.20	1.00%	\$189.07	10.00%	\$207.98
Composite sample	\$251.00	4.50%	\$262.30	4.00%	\$272.79	\$156.85	9.61%	\$171.93	2.15%	\$175.63
Grab sample	\$47.00	0.77%	\$47.36	3.99%	\$49.25	\$45.97	-1.26%	\$45.39	1.81%	\$46.21
Color	\$5.32	-45.49%	\$2.90	2.07%	\$2.96	\$2.96	81.42%	\$5.37	3.54%	\$5.56
pH/Temp	\$7.81	-39.69%	\$4.71	2.12%	\$4.81	\$4.81	44.91%	\$6.97	-8.32%	\$6.39
Total Suspended Solids	\$8.28	-35.39%	\$5.35	2.06%	\$5.46	\$5.46	23.44%	\$6.74	-7.42%	\$6.24
BOD	\$25.77	9.97%	\$28.34	2.12%	\$28.94	\$28.94	-30.62%	\$20.08	-21.07%	\$15.85
Total Phosphorus (SEAL)	\$12.40	-39.84%	\$7.46	2.14%	\$7.62	\$7.62	45.01%	\$11.05	-24.62%	\$8.33
Ammonia N (SEAL)	\$13.95	164.73%	\$36.93	2.11%	\$37.71	\$37.71	-33.25%	\$25.17	-38.06%	\$15.59
TKN	\$26.03	5.11%	\$27.36	2.08%	\$27.93	\$27.93	-22.74%	\$21.58	-19.14%	\$17.45
Cyanide	\$28.76	18.01%	\$33.94	2.09%	\$34.65	\$34.65	9.15%	\$37.82	-15.71%	\$31.88
Aqueous Digestion	\$11.06	-48.64%	\$5.68	2.11%	\$5.80	\$5.80	-5.52%	\$5.48	-37.23%	\$3.44
ICP Metals	\$14.61	88.71%	\$27.57	2.10%	\$28.15	\$28.15	4.94%	\$29.54	-45.19%	\$16.19
Mercury	\$29.92	51.84%	\$45.43	2.09%	\$46.38	\$46.38	-0.04%	\$46.36	-25.26%	\$34.65

2022 PROPOSED PRETREATMENT MONITORING CHARGES